

KAMLOK Typ A
Aluminium

Adapter Innengewinde.



Art. Nr.	Material	Gewinde Anschluss	Kupplungs Mass	Max. Betriebsdruck bei 20°C	Norm
4620001	Aluminium	1/2" IG	DN 15	11 bar	MIL-C-27487
4620002	Aluminium	3/4" IG	DN 20	18 bar	MIL-C-27487
4620003	Aluminium	1" IG	DN 25	18 bar	MIL-C-27487
4620005	Aluminium	1 1/4" IG	DN 32	18 bar	MIL-C-27487
4620004	Aluminium	1 1/2" IG	DN 40	18 bar	MIL-C-27487
4620006	Aluminium	2" IG	DN 50	18 bar	MIL-C-27487
4620007	Aluminium	2 1/2" IG	DN 65	11 bar	MIL-C-27487
4620008	Aluminium	3" IG	DN 75	9 bar	MIL-C-27487
4620009	Aluminium	4" IG	DN 100	7 bar	MIL-C-27487
4620087	Aluminium	5" IG	DN 125	5 bar	MIL-C-27487
4620010	Aluminium	6" IG	DN 150	5 bar	MIL-C-27487

KAMLOK Typ B Aluminium

Kupplung Aussengewinde.



Art. Nr.	Material	Gewinde Anschluss	Kupplungs Mass	Max. Betriebsdruck bei 20°C	Mat. Dichtung	Norm
4620011	Aluminium	1/2" AG	DN 15	11 bar	NBR	MIL-C-27487
4620012	Aluminium	3/4" AG	DN 20	18 bar	NBR	MIL-C-27487
4620013	Aluminium	1" AG	DN 25	18 bar	NBR	MIL-C-27487
4620015	Aluminium	1 1/4" AG	DN 32	18 bar	NBR	MIL-C-27487
4620014	Aluminium	1 1/2" AG	DN 32	18 bar	NBR	MIL-C-27487
4620016	Aluminium	2" AG	DN 50	18 bar	NBR	MIL-C-27487
4620017	Aluminium	2 1/2" AG	DN 65	11 bar	NBR	MIL-C-27487
4620018	Aluminium	3" AG	DN 75	9 bar	NBR	MIL-C-27487
4620019	Aluminium	4" AG	DN 100	7 bar	NBR	MIL-C-27487
4620670	Aluminium	5" AG	DN 125	5 bar	NBR	MIL-C-27487
4620020	Aluminium	6" AG	DN 150	5 bar	NBR	MIL-C-27487

KAMLOK Typ C Aluminium

Kupplung Schlauchtülle.



Art. Nr.	Material	Kupplungs Mass Tülle		Max. Betriebsdruck bei 20°C	Mat. Dichtung	Norm
4620021	Aluminium	DN 15	13 mm	11 bar	NBR	MIL-C-27487
4620022	Aluminium	DN 20	19 mm	18 bar	NBR	MIL-C-27487
4620023	Aluminium	DN 25	25 mm	18 bar	NBR	MIL-C-27487
4620025	Aluminium	DN 32	32 mm	18 bar	NBR	MIL-C-27487
4620024	Aluminium	DN 40	38 mm	18 bar	NBR	MIL-C-27487
4620026	Aluminium	DN 50	50 mm	18 bar	NBR	MIL-C-27487
4620027	Aluminium	DN 65	65 mm	11 bar	NBR	MIL-C-27487
4620028	Aluminium	DN 75	75 mm	9 bar	NBR	MIL-C-27487
4620029	Aluminium	DN 100	100 mm	7 bar	NBR	MIL-C-27487
4620030	Aluminium	DN 125	125 mm	5 bar	NBR	MIL-C-27487
4620031	Aluminium	DN 150	150 mm	5 bar	NBR	MIL-C-27487

KAMLOK Typ D Aluminium

Kupplung Innengewinde.



Art. Nr.	Material	Gewinde Anschluss	Kupplungs Mass	Max. Betriebsdruck bei 20°C	Mat. Dichtung	Norm
4620032	Aluminium	1/2" IG	DN 15	11 bar	NBR	MIL-C-27487
4620033	Aluminium	3/4" IG	DN 20	18 bar	NBR	MIL-C-27487
4620034	Aluminium	1" IG	DN 25	18 bar	NBR	MIL-C-27487
4620036	Aluminium	1 1/4" IG	DN 32	18 bar	NBR	MIL-C-27487
4620035	Aluminium	1 1/2" IG	DN 40	18 bar	NBR	MIL-C-27487
4620037	Aluminium	2" IG	DN 50	18 bar	NBR	MIL-C-27487
4620038	Aluminium	2 1/2" IG	DN 65	11 bar	NBR	MIL-C-27487
4620039	Aluminium	3" IG	DN 75	9 bar	NBR	MIL-C-27487
4620040	Aluminium	4" IG	DN 100	7 bar	NBR	MIL-C-27487
4620085	Aluminium	5" IG	DN 125	5 bar	NBR	MIL-C-27487
4620041	Aluminium	6" IG	DN 150	5 bar	NBR	MIL-C-27487

KAMLOK Typ E Aluminium

Adapter Schlauchtülle.



Art. Nr.	Material	Kupplungs Mass	Tülle	Max. Betriebsdruck bei 20°C	Norm
4620042	Aluminium	DN 15	13 mm	11 bar	MIL-C-27487
4620043	Aluminium	DN 20	19 mm	18 bar	MIL-C-27487
4620044	Aluminium	DN 25	25 mm	18 bar	MIL-C-27487
4620046	Aluminium	DN 32	32 mm	18 bar	MIL-C-27487
4620045	Aluminium	DN 40	38 mm	18 bar	MIL-C-27487
4620047	Aluminium	DN 50	50 mm	18 bar	MIL-C-27487
4620048	Aluminium	DN 65	65 mm	18 bar	MIL-C-27487
4620049	Aluminium	DN 75	75 mm	18 bar	MIL-C-27487
4620050	Aluminium	DN 100	100 mm	18 bar	MIL-C-27487
4620051	Aluminium	DN 125	125 mm	18 bar	MIL-C-27487
4620052	Aluminium	DN 150	150 mm	18 bar	MIL-C-27487

KAMLOK Typ F Aluminium

Adapter Aussengewinde.



Art. Nr.	Material	Gewinde Anschluss	Kupplungs Mass	Max. Betriebsdruck bei 20°C	Norm
4620053	Aluminium	1/2" AG	DN 15	11 bar	MIL-C-27487
4620054	Aluminium	3/4" AG	DN 20	18 bar	MIL-C-27487
4620055	Aluminium	1" AG	DN 25	18 bar	MIL-C-27487
4620057	Aluminium	1 1/4" AG	DN 32	18 bar	MIL-C-27487
4620056	Aluminium	1 1/2" AG	DN 40	18 bar	MIL-C-27487
4620058	Aluminium	2" AG	DN 50	18 bar	MIL-C-27487
4620059	Aluminium	2 1/2" AG	DN 65	11 bar	MIL-C-27487
4620060	Aluminium	3" AG	DN 75	9 bar	MIL-C-27487
4620061	Aluminium	4" AG	DN 100	7 bar	MIL-C-27487
4620088	Aluminium	5" AG	DN 125	5 bar	MIL-C-27487
4620062	Aluminium	6" AG	DN 150	5 bar	MIL-C-27487

**KAMLOK Typ DC
Aluminium**

Kupplung Blindkappe.



Art. Nr.	Material	Kupplungs Mass	Max. Betriebsdruck bei 20°C	Mat. Dichtung	Norm
4620073	Aluminium	DN 15	11 bar	NBR	MIL-C-27487
4620074	Aluminium	DN 20	18 bar	NBR	MIL-C-27487
4620075	Aluminium	DN 25	18 bar	NBR	MIL-C-27487
4620077	Aluminium	DN 32	18 bar	NBR	MIL-C-27487
4620076	Aluminium	DN 40	18 bar	NBR	MIL-C-27487
4620078	Aluminium	DN 50	18 bar	NBR	MIL-C-27487
4620079	Aluminium	DN 65	11 bar	NBR	MIL-C-27487
4620080	Aluminium	DN 75	9 bar	NBR	MIL-C-27487
4620081	Aluminium	DN 100	7 bar	NBR	MIL-C-27487
4620082	Aluminium	DN 125	5 bar	NBR	MIL-C-27487
4620083	Aluminium	DN 150	5 bar	NBR	MIL-C-27487

KAMLOK Typ DP
Aluminium

Adapter Blindkupplung.



Art. Nr.	Material	Kupplungs Mass	Max. Betriebsdruck bei 20°C	Norm
4620063	Aluminium	DN 15	11 bar	MIL-C-27487
4620064	Aluminium	DN 20	18 bar	MIL-C-27487
4620065	Aluminium	DN 25	18 bar	MIL-C-27487
4620067	Aluminium	DN 32	18 bar	MIL-C-27487
4620066	Aluminium	DN 40	18 bar	MIL-C-27487
4620068	Aluminium	DN 50	18 bar	MIL-C-27487
4620069	Aluminium	DN 65	11 bar	MIL-C-27487
4620070	Aluminium	DN 75	9 bar	MIL-C-27487
4620071	Aluminium	DN 100	7 bar	MIL-C-27487
4620084	Aluminium	DN 125	5 bar	MIL-C-27487
4620072	Aluminium	DN 150	5 bar	MIL-C-27487